



BY EXPERTS
FOR EXPERTS

FOAM Pro 2



CLEANING SPRAYER



V 1.25 L / 42 Oz

Range of sprayers equipped with the maximum performance in terms of safety and ease of use. **Manufactured for the generation of dry and long lasting foam.** Designed for use with chemical agents with surfactant properties (surface active).



Goizper Group



www.iksprayers.com



BY EXPERTS
FOR EXPERTS

FOAM Pro 2



CLEANING SPRAYER

Large opening for filling

Translucent tank with
level indicator

Stable base



Safety valve

Safety lock

Content identifier



Goizper Group



www.iksprayers.com



BY EXPERTS
FOR EXPERTS

MULTI Pro 2



HEAVY DUTY SPRAYER



V 1.5 L

Range of sprayers equipped for maximum performance and easy & safe use.
ACID RESISTANT.

Sortiment von Hochleistung Sprühgeräte bezüglich Sicherheit und Benutzerfreundlichkeit. **SÄUREBESTÄNDIG.**



Goizper Group



www.iksprayers.com



**BY EXPERTS
FOR EXPERTS**

MULTI Pro 2



HEAVY DUTY SPRAYER

Large opening for filling
Große Fülldüse

Translucent tank with
level indicator
Transparenter Tank mit
Füllstandsanzeige

Stable base
Stabile Basis

Option of fitting other types
of nozzles and accessories
Möglichkeit der Anpassung
anderer Düsentypen und Zubehör



Safety valve
Sicherheitsventil

Safety lock
Sicherheitsverriegelung

Content identifier
Inhaltskennung



Goizper Group




www.iksprayers.com

ik

BY EXPERTS
FOR EXPERTS

FOAM



www.iksprayers.com

EN

Sprayers specifically manufactured for the generation of dry and long lasting foam. Designed for use with chemical agents with surfactant properties (surface active). The IK FOAM sprayers range provides the user a dense and durable foam suitable for cleaning and disinfecting upholstery and carpets, disinfecting bathrooms and changing rooms, kitchens and food processing stations, car washes etc.



IK FOAM 1.5



CODE: 8.17.76

All plastic parts and washers resistant to most acids and solvents • 3 bar safety valve with depressurization option • Large opening for easy filling and cleaning • Ergonomic design • Strong translucent tank with level indicator • Protective sleeve for valve chamber • Easy assembly and taking apart for cleaning and maintenance, tool free • Special "foam" even fan type nozzle.

TECHNICAL SPECIFICATIONS

TOTAL CAPACITY	1.50 l. – 0.39 U.S. Gallons.
USEFUL CAPACITY	0,75 l. – 0.19 U.S. Gallons.
GROSS WEIGHT	0.60 Kg – 1.32 lbs.
NET WEIGHT	0.46 Kg – 1.02 lbs.

IK FOAM 9



CODE: 8.38.11.915

All plastic parts and washers resistant to most acids and solvents • 4 bar safety valve with depressurization option • Strong translucent tank with level indicator • Funnel incorporated into tank • Metal lever on trigger release valve • Filter in the lance • Base of tank can be used to wind the hose round it for storage • 50 cm extension lance available as an accessory • Carrying handle and straps for carrying over shoulder • Special "foam" even fan type nozzle.

TECHNICAL SPECIFICATIONS

TOTAL CAPACITY	8 l. – 2.11 U.S. Gallons.
USEFUL CAPACITY	5 l. – 1.30 U.S. Gallons.
GROSS WEIGHT	2.00 Kg – 4.40 lbs.
NET WEIGHT	1.72 Kg – 3.78 lbs.



General cleaning



Automotive cleaning



Livestock / Food



Cleaning kitchens

USES - APPLICATIONS



THROUGH THE USE OF DRY FOAM WE OBTAIN:

- Accelerates the application time between the chemical product and the surface to be cleaned increasing the effectiveness of the sprayed product.
- Cleans fabrics, upholstery and carpets preventing excessive wetting, thereby reducing drying time and preventing the appearance of fungi and bacteria.
- Has greater visual control of the sprayed surface.

SPRAYERS SPECIALLY DESIGNED FOR USE IN:

- Cleaning of upholstery, carpets and rugs.
- Cleaning and disinfection of areas and surfaces intended for food processing (industrial kitchens, bakeries, meat industry, slaughterhouses and cutting plants, fishmonger's shops etc.).
- Care and cleaning of vehicles.
- Cleaning and disinfection of sports facilities, and public bathrooms, spas, changing room areas etc.
- Washing of industrial machinery, delivery trucks, disinfection of trailers and loading areas etc.

MAINTENANCE AND SAFETY STANDARDS

CLEANING AND MAINTENANCE OF THE SPRAYER

- After each use depressurize the sprayer and clean it.
- If the nozzle becomes blocked, clean it with water and do not use metallic objects.
- If the filter of the handle is clogged, remove it and clean it with water.
- Store the sprayer under cover, avoiding freezing temperatures and extreme heat (between 5° and 30° C).
- To prolong the life of the seals, regularly apply grease to the moving parts of the sprayer.



EFFICIENT AND EFFECTIVE APPLICATION

- Always follow the instructions and the dosages indicated on the labels of the chemical product to be used.

SAFETY RULES

- To avoid any consumption of the product, do not eat, drink or smoke while preparing and spraying.
- Do not use the sprayer on persons, animals, or electric installations.
- Do not spray with high winds or extreme heat.
- In the event of poisoning, see your doctor, taking the chemical product packaging with you.
- Never dispose of waste product or cleaning residues near water courses, wells, etc.
- Use suitable protective equipment, masks, goggles, gloves, footwear, etc., to avoid contact of the chemical products with skin, eyes and mouth.
- Do not spray on open flames, fire or other sources of ignition.





Antigua, 4
20577 Antzuola
Gipuzkoa - Spain

Tel.: + 34 943 786 000
spraying@goizper.com
www.iksprayers.com

Goizper Spain | Goizper Portugal | Goizper France | Goizper UK | Goizper Central Europe | Goizper Russia | Goizper North America | Goizper Central America
| Goizper Brazil | Goizper Middle East | Goizper West Asia | Goizper Asia-Pacific | Goizper West Africa | Goizper East Africa

GOIZPER S. Coop. reserves the right to change the contents and information of the products shown in this document without prior notice. © GOIZPER S. Coop. All rights reserved.
The reproduction in whole or in part of the contents, text and/or images of this document is strictly prohibited.

ik

BY EXPERTS
FOR EXPERTS

ALKALINES



www.iksprayers.com

EN

Sprayers especially manufactured with highly resistant materials designed to be compatible with chemical agents used in the world of professional cleaning and disinfection. Best suited for alkaline, alcohol and acetone substances.



IK ALK 1.5



CODE: 8.17.77



All plastic parts and washers resistant to alkaline, alcohol and acetone substances • 2.5 bar safety valve with depressurization option • Large opening for easy filling and cleaning • Ergonomic design • Strong translucent tank with level indicator • Protective sleeve for valve chamber • Easy assembly and taking apart for cleaning and maintenance, tool free • Supplied with adjustable cone spray nozzle and even fan spray nozzle. Option of fitting other types of nozzles and accessories.

TECHNICAL SPECIFICATIONS

TOTAL CAPACITY	1.50 l. - 0,39 U.S. Gallons.
USEFUL CAPACITY	1 l. - 0,26 U.S. Gallons.
GROSS WEIGHT	0,60 Kg - 1,32 lbs.
NET WEIGHT	0,46 Kg - 1,02 lbs.

IK ALK 9



CODE: 8.38.11.916



All plastic parts and washers resistant to alkaline alcohol and acetone substances • 3 bar safety valve with depressurization option • Strong translucent tank with level indicator • Funnel incorporated into tank • Metal lever on trigger release valve • Filter in the lance • Base of tank can be used to wind the hose round it for storage • 50cm extension lance available as an accessory • Carrying handle and straps for carrying over shoulder • Kit of adjustable cone spray nozzle and a standard feature spray nozzle elbow • Special hose resistant to alkaline products • Two lances are included: Stainless steel and plastic.

TECHNICAL SPECIFICATIONS

TOTAL CAPACITY	8 l. - 2,11 U.S. Gallons.
USEFUL CAPACITY	6 l. - 1,58 U.S. Gallons.
GROSS WEIGHT	2,00 Kg - 4,40 lbs.
NET WEIGHT	1,72 Kg - 3,78 lbs.



General cleaning



Automotive cleaning



Livestock / Food



Cleaning kitchens

USES - APPLICATIONS

CLEANING AND DISINFECTION IN:

Food processing companies, bakeries, dairies, processing and/or manufacture of beverages, transport of all foods, stoves, ovens, floors, walls, windows, Formica, steel etc.

REMOVAL OF:

Animal, mineral and vegetable fats, proteins, blood, eggs, lubricants, mineral oils etc.

CHEMICAL PRODUCTS TABLE

The following table shows several examples of the most frequently used aggressive substances and the model recommended for each use. Follow the specified maximum percentages.

The sprayers are not suitable for working with many halogenated solvents.

Given the wide variety of products on the market, Goizper does not warrant the universal validity of its products. Always use caution when working and follow the instructions of the chemical manufacturer.



		IK MULTI	IK ALKALINES	IK HC	IK METAL/INOX
ACIDS	ACETIC ACID (MAX 20%)	L	✓	×	×
	HYDROCHLORIC ACID (MAX 30%)	✓	L	×	×
	HYDROFLUORIC ACID (MAX 20%)	✓	×	×	×
	PHOSPHORIC ACID	✓	L	×	×
	NITRIC ACID (MAX 20%)	✓	L	×	×
	SULPHURIC ACID (MAX 30%)	✓	L	×	×
	OTHER ACIDS	✓	L	×	×
ALCOHOLS	BUTANOL	L	✓	L	L
	ETHANOL	L	✓	L	L
	METHANOL	L	✓	L	L
	OTHER ALCOHOLS	L	✓	L	L
ALIPHATIC HYDROCARBONS	DECANE	L	×	✓	✓
	HEPTANE	L	×	✓	✓
	HEXANE	L	×	✓	✓
	LIMONENE	L	×	✓	✓
	PENTANE	L	×	✓	✓
AROMATIC HYDROCARBONS	NAPHTHALENE	L	×	✓	✓
	TOLUENE (MAX 40%)	L	×	✓	✓
	XYLENE	L	×	✓	✓
OILS AND PETROLEUM PRODUCTS	MINERAL-VEGETAL OIL	L	×	✓	✓
	DIESEL	L	×	✓	✓
	GASOLINE	L	×	✓	✓
	KEROSENE	L	×	✓	✓
	WHITE SPIRIT	L	×	✓	✓
ALKALINES AND KETONES	ACETONE	×	✓	×	×
	AMMONIA	L	✓	×	×
	SODIUM HYDROXIDE (CAUSTIC SODA)	×	✓	×	×
	POTASSIUM HYDROXIDE	×	✓	×	×
	SODIUM HYPOCHLORITE	L	L	×	×

✓ OPTIMUM L LIMITED × NOT SUITABLE

MAINTENANCE AND SAFETY STANDARDS

CLEANING AND MAINTENANCE OF THE SPRAYER

- After each use depressurize the sprayer and clean it.
- If the nozzle becomes blocked, clean it with water and do not use metallic objects.
- If the filter of the handle is clogged, remove it and clean it with water.
- Store the sprayer under cover, avoiding freezing temperatures and extreme heat (between 5° and 30° C).
- To prolong the life of the seals, regularly apply grease to the moving parts of the sprayer.



SAFETY RULES

- To avoid any consumption of the product, do not eat, drink or smoke while preparing and spraying.
- Do not use the sprayer on persons, animals, or electric installations.
- Do not spray with high winds or extreme heat.
- In the event of poisoning, see your doctor, taking the chemical product packaging with you.
- Never dispose of waste product or cleaning residues near water courses, wells, etc.
- Use suitable protective equipment, masks, goggles, gloves, footwear, etc., to avoid contact of the chemical products with skin, eyes and mouth.
- Do not spray on open flames, fire or other sources of ignition.





Antigua, 4
20577 Antzuola
Gipuzkoa - Spain

Tel.: + 34 943 786 000
spraying@goizper.com
www.iksprayers.com

Goizper Spain | Goizper Portugal | Goizper France | Goizper UK | Goizper Central Europe | Goizper Russia | Goizper North America | Goizper Central America | Goizper Brazil | Goizper Middle East | Goizper West Asia | Goizper Asia-Pacific | Goizper West Africa | Goizper East Africa

GOIZPER S. Coop. reserves the right to change the contents and information of the products shown in this document without prior notice. © GOIZPER S. Coop. All rights reserved.
The reproduction in whole or in part of the contents, text and/or images of this document is strictly prohibited.



BY EXPERTS
FOR EXPERTS



HEAVY DUTY SPRAYER

MULTI Pro 9-12

IK MULTI Pro

Range of sprayers equipped for maximum performance and ease & safe use.



8.26.72



8.26.71

TECHNICAL CHARACTERISTICS

	IK MULTI Pro 9	IK MULTI Pro 12
FULL CAPACITY	2.11 U.S. Gals.	2.64 U.S. Gals.
USEFUL CAPACITY	1.58 U.S. Gals.	2.11 U.S. Gals.
LITRES/MIN. 3 BAR	1 pint/min.	1 pint/min.
GROSS WEIGHT	5.97 lbs.	6.59 lbs.
NET WEIGHT	5.13 lbs.	5.66 lbs.



Goizper Spraying

GOIZPER SPRAYING NORTH AMERICA, INC.



BY EXPERTS
FOR EXPERTS

MULTI Pro 9-12



Stainless opening and closing handle with safety lock

Possibility of identifying content through cards

Easy use parking lance

System for pump holder during filling

Integrated funnel in tank

Safety valve tared at 3 bar /
43.5 psi with depressurisation
option.

Avoid contact with gases

Transport belt in shoulder strap

Translucent tank with level indicator

Stable base with support for feet

- All plastic parts and washers resistant to most acids and solvents.
- Innovative and ergonomic design.
- Filter on the lance.
- Possibility of adapting other types of nozzles and accessories.
- Supplied with adjustable cone spray nozzle and even fan spray nozzle.

EXTRAS
INCLUDED:



Repair shops Construction Automotive cleaning Industry Farming Cleaning kitchens



Goizper Spraying
GOIZPER SPRAYING NORTH AMERICA, INC.

59 Tarkiln Place
New Bedford, MA 02745
www.goizperna.com

P: (877) 529-8722
F: (877) 529-3291
spraying@goizperna.com



BY EXPERTS
FOR EXPERTS



CLEANING SPRAYERS

Range of sprayers equipped with the highest performance in terms of safety and ease of use. Designed for professional use with the most aggressive chemicals in various sectors.



0,18 Kg/0,39 lbs

optimal

Disinfectants, neutral products, alcohols, alkalis and ketones

suitable

Acids



Goizper Group



www.iksprayers.com



BY EXPERTS
FOR EXPERTS

MULTI TR 1



CLEANING SPRAYERS

COD | 8.41.70



| 1L / 35 oz



| 0,18 Kg / 0,39 lbs



Strong translucent tank
with level indicator

Content identifying system

Base for greater stability



Goizper Group



www.iksprayers.com



BY EXPERTS
FOR EXPERTS

HC TR 1



HEAVY DUTY SPRAYER

Industrial sprayers especially manufactured with highly resistant materials used in the world of Professional Cleaning, Desinfection, Automotive and Industrial Workshops.



0,19 Kg / 0,41 lbs

optimal

Solvent-based products, oils and petroleum derivatives, alcohols

suitable

Alkalines and Ketones



Goizper Group



www.iksprayers.com



BY EXPERTS
FOR EXPERTS

HC TR 1



HEAVY DUTY SPRAYER


COD | 8.41.74



| 1L / 35 oz



| 0,19 Kg / 0,41 lbs



Strong translucent tank
with level indicator

Content identifying system

Product ID.

Base for greater stability



Goizper Group



www.iksprayers.com